

From: Fred Foreman/ESC/R3/USEPA/US
Sent: 3/5/2012 6:03:04 PM
To: Cynthia Caporale/ESC/R3/USEPA/US@EPA
CC: Cynthia Metzger/ESC/R3/USEPA/US@EPA
Subject: Re: Fw: DAS Request for Consideration: DIMOCK RESIDENTIAL GROUNDWATER - R33943-CT5928

Correct. No samples will be collected for shipment to other labs for glycol analysis. the only glycol analysis will be performed by Region 6 and for ethylene and propylene glycol.

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629

From: Cynthia Caporale/ESC/R3/USEPA/US
To: Cynthia Metzger/ESC/R3/USEPA/US@EPA, Fred Foreman/ESC/R3/USEPA/US@EPA
Date: 03/05/2012 12:55 PM
Subject: Fw: DAS Request for Consideration: DIMOCK RESIDENTIAL GROUNDWATER - R33943-CT5928

R6 is analyzing for ethylene and propylene glycol only.

Cynthia Caporale, Chief
OASQA Laboratory Branch
U.S. EPA Region III
Environmental Science Center
Fort Meade, MD
(410) 305-2732
Fax: (410) 305-3095

----- Forwarded by Cynthia Caporale/ESC/R3/USEPA/US on 03/05/2012 12:54 PM -----

From: Carroll Harris/ESC/R3/USEPA/US
To: Cynthia Caporale/ESC/R3/USEPA/US@EPA, Stevie Wilding/ESC/R3/USEPA/US, Kevin Martin/ESC/R3/USEPA/US@EPA
Cc: clients r3 <clients.r3@epamail.epa.gov>,

Ex. 4 - CBI

,

Ex. 4 - CBI

Date: 03/05/2012 11:28 AM
Subject: DAS Request for Consideration: DIMOCK RESIDENTIAL GROUNDWATER - R33943-CT5928

STEVIE, PER DAN SLIZYS, THIS IS ASSIGNED TO REGION 6

[attachment "CT5928-R33942.doc" deleted by Fred Foreman/ESC/R3/USEPA/US] [attachment "Dimock RLs_March 2012.XLS" deleted by Fred Foreman/ESC/R3/USEPA/US]

Carroll Harris
NAHE, SEE
RSCC Coordinator, OASQA
U.S. Environmental Protection Agency
Environmental Science Center
701 Mapes Road
Ft. Meade, MD 20755-5350
(410)305-2625
Fax(410)305-3093